



[> home](#) [> about](#) [> feedback](#) [> login](#)
US Patent & Trademark Office

Search Results

Search Results for: [pulse <sentence> start <sentence> end <sentence> information]

Found 1 of 107,305 searched. → Rerun within the Portal

Search within Results

GO [> Advanced Search](#) [> Search Help/Tips](#)

Sort by: Title Publication Publication Date Score Binder

Results 1 - 1 of 1 short listing

1 A resilient distributed protocol for network synchronization 100%

I A Cimet , P R Srikanta Kumar

Proceedings of the ACM SIGCOMM conference on Communications architecture & protocols September 1986

We present a resilient distributed protocol that enables a synchronous algorithm to run on an asynchronous network. The protocol is resilient in the sense that it can continue providing network synchronization in the presence of topological changes in the underlying communication network of a distributed system. These changes are caused by link/node failures and recoveries that occur while running the protocol. In general, the protocol is a useful tool in the design of resilient distributed ...

Results 1 - 1 of 1 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.

Searching for **PHRASE pulse start end information.**

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. Only retrieving 500 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

[Feature Interactions with Dynamic Priorities - A.Burns, A.J.Wellings \(Correct\)](#)

end Example task body Example is **Start**_Time :Ada.Real_Time.Time :

private not specified by the language end Ada.Dynamic_Priorities 2 Imprecise Computations
ftp.cs.york.ac.uk/pub/realtime/IRTAW/burns2.ps.Z

[libscheme: Scheme as a C Library - Benson, Jr. \(1994\) \(Correct\) \(2 citations\)](#)

character, at which time we extract a field and **start** looking for the next delimiter. define a program provides a powerful extension language to **end** users, it often increases the utility of the DWARF is a full-featured and complex debugging **information** format [7]Our example program, dwarfscheme, ftp.cs.indiana.edu/pub/scheme-repository/doc/pubs/libscheme-vhll.ps.gz

[A Linear Time Algorithm for Placing \$\phi\$ -Nodes - Sreedhar, Gao \(1995\) \(Correct\)](#)

A flowgraph is a connected directed graph $G = (N, E)$ where N is the set of nodes, E is the set of edges. A connected directed graph $G = (N, E)$ where N is the set of nodes, E is the set of edges. In computation of program points where data flow **information** must be merged, the so-called OE-nodes. In ftp.capsl.udel.edu/pub/doc/acaps/papers/POPL95.ps.gz

[PROBING FOR WIMP INTERACTION RATES BELOW 10/kg/day AT BOULBY .. - Tovey Roberts Spooner \(Correct\)](#)

programme is reviewed with emphasis on the **Pulse**-Shape Discrimination techniques used to produce constant the **pulse** amplitude A and the **pulse start**-time t_0 . The fitted parameters for each **pulse** www.shef.ac.uk/~phys/research/hep/reports/9614.ps

[Robust And Recursive Radar Pulse Train Parameter Estimators - Sirianunpiboon, Noone.. \(Correct\) \(1 citation\)](#)

Robust And Recursive Radar **Pulse** Train Parameter Estimators S. Sirianunpiboon 1

'C @fi tGamma1 11) Initially, as we **start** to build a value for the estimate of T , we begin the performance of the two techniques. To this **end**, we have plotted the mean error (in terms of the www.crasys.anu.edu.au/PTP/Bibliography/./Papers/SNH96.ps.gz

[RKSUITE 90: Software for ODE IVPs - Brankin The \(Correct\)](#)

The argument COMM is an instance of "rk comm" **T START** and **T END** specify the range of integration [a b] dimension(size(y)) f = evaluate f **end** function f **end** module define program integrate f utility procedures which provide diagnostic **information** and memory deallocation. In Section 2, we www.num-alg-grp.co.uk/doc/TechRep/PS/tr6_94.ps

[Group Rendezvous in a Synchronous, Collaborative Environment - Roth, Unger \(1999\) \(Correct\)](#)

a synchronous, collaborative environment can really **start**, various actions have to be performed: users have services for application developers as well as for **end**-users. The DreamTeam environment allows the assumed that a team has already formed, session **information** has been distributed and network paths are www.informatik.fernuni-hagen.de/import/pi2/paper/kivs99.ps

[Networked Information Retrieval as Distributed Problem Solving - Tim Oates \(1994\) \(Correct\) \(1 citation\)](#)

to visit will enable the accommodation agent to **start** its work on planning for places to stay during or the policy of the Government and no official **endorsement** should be inferred. 1 For a more formal Networked **Information** Retrieval as Distributed Problem Solving Tim archive.cs.umbc.edu/pub/cikm/1994/ii/papers/oates.ps

[F4.635e+05>GENERATION AND SUPPRESSION OF RADIATION BY.. - Hsueh-Chia Chang \(Correct\)](#)

Generation And Suppression Of Radiation By Solitary **Pulses** #Hsueh-Chia Chang Evgeny A. Demekhin epubs.siam.org/sam-bin/getfile/SIAP/articles/31528.ps.Z

Radar Pulse Train Parameter Estimation and Tracking using.. - Greg Noone (1995) (Correct)Radar **Pulse** Train Parameter Estimation and Tracking using

Storage vector which contains the relevant **information** pertaining to the stagger offsets i.e. the T_i of the network in terms of the amount of **information** required to predict and track the **pulse**
www.crasys.anu.edu.au/PTP/Projects/pulseTrain/Projects/pulseTrain/Papers/./Papers/Noo95.ps.gz

Deinterleaving Radar Pulse Trains Using Neural Networks - Greg Noone (Correct)Deinterleaving Radar **Pulse** Trains Using Neural Networks Greg Noone and**pulse** train. The integrated algorithm is: ffl 0. **Start**. Set $N = 0$ ffl 1. Select sample pair ensuringStorage vector which contains the relevant **information** pertaining to all the T_i 's of the **pulse**
www.crasys.anu.edu.au/PTP/Projects/pulseTrain/Projects/pulseTrain/Projects/pulseTrain/Papers/./Papers/NH95a.ps.
Static Priority Scheduling for ATM Networks - Li, Bettati, Zhao (1997) (Correct) (3 citations)

for many delay sensitive applications. We **start** by formally deriving a simple condition under which we can develop a numerical method to compute worst-case **end-to-end** delays in an ATM network with arbitrary traffic flows assigned at subset level, based on deadline **information**, and the connections in each subset are disjoint.
www.cs.tamu.edu/people/c0l8109/Camera.ps

A Comparison of Mechanisms for Improving TCP.. - Balakrishnan.. (1996) (Correct) (225 citations)

control or avoidance mechanisms (e.g. slow **start** [11] and backing off its retransmission timer and avoidance algorithms, resulting in degraded **end-to-end** performance in wireless and lossy systems.
www.cs.wisc.edu/~lhl/cs740/papers/wireless-tcp.ps

Femtosecond laser-tissue interactions - Fibich (Correct)

important role in the propagation of femtosecond **pulses** through water. The combined effects of time delay and optical breakdown or retinal damage requires **information** on the electric field at the target area. In z. 4 DISCUSSION The model provides qualitative **information** on the interaction between time dispersion, and the electric field.
www.math.ucla.edu/~fibich/PSmanuscripts/SPIE96.ps

Boundary Properties For Two-Dimensional Semiflows - Ciesielski (1997) (Correct)

boundary may occur. For instance, a semiflow admits **start** points. In this paper we characterize the boundary in a unique way. In particular, there is an arc with an **end-point** x contained in "the past" of x . If a point y is in the past of x , then y is in the past of x .
www.im.uj.edu.pl/preprint/imuj1997/pr9704.ps

Core-Stateless Fair Queueing: Achieving Approximately.. - Stoica, Shenker, Zhang (1998) (Correct) (73 citations)

mainly through **end-host** algorithms. However, **starting** with Nagle [16] many researchers observed that congestion control is achieved mainly through **end-host** algorithms. However, **starting** with Nagle's algorithm, moreover, can be implemented with only local **information**. Until now, fair allocations were typically achieved by using global information.
www.cs.cmu.edu/~istoica/csfq.extended.ps.gz

Efficient Support for P-HTTP in Cluster-Based Web Servers - Aron, Druschel, Zwaenepoel (1999) (Correct) (9 citations)

in short succession avoids multiple TCP slow-**starts** [29] thus increasing network utilization and distribution of HTTP/1.1 requests among the back-**end** nodes of a cluster server. A trace-driven analysis of the performance of the proposed architecture is presented.
www.cs.rice.edu/~aron/papers/phttp-lard.ps

Defining and Parsing Visual Languages with Layered Graph Grammars - Rekers, Schürr (1997) (Correct) (10 citations)

parsing algorithm based on these grammars. We **start** with the context of our work by discussing the problem of parsing visual languages. We then define a layered graph grammar and show how to parse a visual language by a more abstract graph, which provides **information** about the syntax (and the semantics) of the visual language.
cui.unige.ch/eao/www/Visual/local/RekersSchuerr96.ps.gz

Restructuring Fortran Programs for Cedar - Eigenmann, Hoeflinger, Jaxon.. (1993) (Correct) (18 citations)

an ordered parallel loop, because its iterations **start** in the same order as they would if the loop were sequential. The Fortran translator for the Cedar computer at the **end** of March, 1991. A brief description of the Cedar compiler in the presence of interprocedural **information**. Our compiler currently relies on inlining and basic block reordering.
cs.uiuc.edu/pub/research-groups/csrd/oldftp/CSRD_Reports/reports/1338.ps.gz

Number Theoretic Solutions to Intercept Time Problems - Clarkson, Perkins, Mareels (Correct)

the overlaps or coincidences of two periodic **pulse** trains. We show that the first intercept time of
www.crasys.anu.edu.au/PTP/Papers/.../Papers/CPM96.ps.gz

First 20 documents [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - citeseer.org - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**
RELEASE 1.4Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE](#) | [Quick Links](#)[» Search Results](#)[Peer Review](#)

Welcome to IEEE Xplore®

Your search matched **[0]** of **[924782]** documents.

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[Print Format](#)

You may refine your search by editing the current search expression or entering a new one the text box. Then click search Again.

OR

Use your browser's back button to return to your original search page.

Results:

No documents matched your query.

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2002 IEEE — All rights reserved